



**CANCAN®**

• SINCE 1958 •

[www.cancan.com.tr](http://www.cancan.com.tr)

## 67 Years of Experience

### *A Brand Producing for the World Since 1958*

*"It all started in a workshop producing fruit presses."*

Since the very first day we were founded, we have grown with our family values and continued to produce with unwavering dedication to our work. Today, in our modern production facility with 6,500 m<sup>2</sup> of enclosed space, we create industrial kitchen solutions for professionals around the world.

Thanks to our advanced production infrastructure, strong R&D, and commitment to quality, we have become a trusted brand in the industry, exporting to more than 60 countries today.

Every day, we continue working to produce better, reach more regions, and become the most reliable partner for professionals in the kitchen.



#### **EXPORTING TO 60+ COUNTRIES**

We directly export 50% of our production to five continents. With our global distributor network and deep understanding of local markets, we offer solutions tailored to each country.



#### **QUALITY**

All our production processes are managed in accordance with ISO standards. The use of recyclable materials, long-lasting product design, and low energy consumption are among our core principles.



#### **R&D AND INNOVATION**

With our engineering infrastructure and the feedback we receive from users, we develop next-generation products every year.



## Cancan Quality

### *The Same Quality in Every Product*

*"Since 1958, with three generations of production experience, quality is not a goal for us; it is a responsibility."*

At Cancan, we carry out every stage of production entirely in-house, under 100% control. From design to assembly, from welding processes to quality control tests, all steps are executed by our expert teams. Every product is manufactured in-house through advanced production processes, in line with international quality standards.

In our production approach, we think not only about today but also about the future. That's why we prioritize R&D, analyzing customer needs and industry trends to develop innovative solutions. Every one of our products reaches the end user precisely tested and fully compliant with international quality standards.





cancanmeyvepresleri



Cancan Meyve Presleri



@CancanTurkey




cancanmakine



www.cancan.com.tr



www.cancanhoreca.com.tr



# Index

## JUICING EQUIPMENTS



### Manual Fruit Juicers

- 0102 Professional Type Manual Fruit Juicer
- 0103 Pomegranate Type Manual Fruit Juicer

### Automatic Orange Juicers

- 0203 38 with Glass Automatic Orange Juicer
- 0204-1101 38 with Tank And Stand Automatic Orange Juicer
- 0205-1101 38 Fresh with Stand Automatic Orange Juicer
- 0205-1107 38 with Fresh & Stand Double Trash Can
- 0206 28 Cafe Type Automatic Orange Juicer
- 0208 38 Cooler Model Automatic Orange Juicer

### Automatic Pomegranate Juicer

- 0603 Automatic Pomegranate Press

- 1342 Electrical Potato Cutter
- 1701 Butter Roller
- 1705 Butter Roller XL
- 1706 Smash Burger Press (Circular)
- 1707 Smash Burger Press (Square)
- 1708 Tamper
- 1709 Iron Steak Weight

### Electrical & Manual Can Openers

- 0302 Professional Type Manual Can Opener
- 0303 Stainless Manual Can Opener
- 0702 Professional Type Electrical Can Opener (Circle Cut)
- 0703 Professional Type Electrical Can Opener (Circle-Square Cut)

## PREPARATION EQUIPMENTS



### Preparation Equipments

- 1301 Vegetable-Fruit Cutter
- 1302 Tomato Slicer
- 1308 Small Size Tomato Slicer
- 1306 Practical Coring Spoon
- 1307 Practical Walnut Opener
- 1313 Cheese Slicer
- 1316 Lemon Cutter
- 1319 Onion Flowering Cutter
- 1320 Mandoline Slicer
- 1321 Manual Potato Cutter
- 1323 Vegetable & Fruit Peeler
- 1324 Manual Melon Cutting Tool
- 1332 Manual Watermelon Cutting Tool
- 1327 Manual Watermelon Slicer
- 1325 Leaf Cutting
- 1326 Manual Pineapple Slicer
- 0801 Pineapple Peeler
- 0810 Pineapple Guillotine Cutter
- 1423 Pineapple Trio
- 1315 Fruit Cutter
- 1318 Vertical Tomato Slicer
- 1317 Combined Slicer
- 1330 Pizza Slicer
- 1305 Pneumatic Potato Cutter
- 1309 Pneumatic Melon Cutter
- 1310 Pneumatic Watermelon Cutter
- 0809 Pneumatic Pineapple Peeler with Stand

### New Products

- 1333 Sausage Slicer
- 1334 Spiral Twister Potato Cutter
- 1335 Block Cheese Slicer
- 1336 Rail Cheese Slicer
- 1337 Block Cheese Slicer XL
- 1338 Sausage Slicer (Julienne Cut)
- 1340 Spiral Curly Fry Cutter

## WASHING EQUIPMENTS



### Washing Equipments

- MT01 Sink Mounted Pre-Rinse Faucet
- MT02 Sink Mounted Pre-Rinse Faucet with Intermediate Tap
- MT03 Wall Mounted Pre-Rinse Faucet
- MT04 Wall Mounted Pre-Rinse Faucet with Intermediate Tap
- MT05 Mini Size Sink Mounted Pre-Rinse Faucet
- MT06 Mini Size Sink Mounted Pre-Rinse Faucet with Intermediate Tap

### Deluxe Serisi

- MT01 Deluxe Sink Mounted Pre-Rinse Faucet
- MT02 Deluxe Sink Mounted Pre-Rinse Faucet with Intermediate Tap
- MT03 Deluxe Wall Mounted Pre-Rinse Faucet
- MT04 Deluxe Wall Mounted Pre-Rinse Faucet with Intermediate Tap
- MT05 Deluxe Mini Size Sink Mounted Pre-Rinse Faucet
- MT06 Mini Size Sink Mounted Pre-Rinse Faucet with Intermediate Tap

### Sink Mount Pot Filler

- Sink Mount Pot Filler

### Retractable Models

- Retractable Pre-Rinse Faucet with Reel Hose (2mt)
- 0901 Retractable Pre-Rinse Faucet with Reel Hose (6mt)
- 0902 Retractable Pre-Rinse Faucet with Reel Hose (10mt)
- 0903 Retractable Pre-Rinse Faucet with Reel Hose (12mt)
- 0904 Retractable Pre-Rinse Faucet with Reel Hose (15mt)

### Industrial Type Pot Washing Machine

- 1001 Industrial Type Pot Washing Machine

# NEW PRODUCT



1333

Sausage  
Slicer

01

02

1338

Sausage  
Slicer  
(Julienne Cut)



1335

Block Cheese  
Slicer

03



04

1336

Rail Cheese  
Slicer



# NEW PRODUCT



1337

Block  
Cheese  
Slicer XL

05

06

1340  
Spiral  
Curly  
Fry Cutter



1334

Spiral  
Twister  
Potato Cutter

07



08

1342  
Electrical  
Potato  
Cutter



# NEW PRODUCT



1705

Butter  
Roller XL

09

10

1706

Smash  
Burger Press  
(Circle)



1707

Smash  
Burger Press  
(Square)

11

12

1709

Iron Steak  
Weight



1708

Tamper

13

# JUICING EQUIPMENT





# Juicing Equipment Manuel Fruit Juicers

Manual Fruit Presses are designed for cafés, buffets, restaurants, and businesses looking to add fresh juice to their menus by efficiently squeezing citrus fruits such as oranges, pomegranates, lemons, tangerines, and grapefruits. With an ergonomic structure and NSF-certified food safety compliance, they fully meet hygiene and health standards. These manual presses deliver high performance with a two-stage squeezing system and feature stainless steel strainers that are removable and dishwasher-safe, ensuring low pulp output and a clean, efficient pressing process. A non-slip plastic base provides safe operation. This design is compatible with all types of citrus fruits, offering businesses both maximum efficiency and convenience.





0102

## Professional Type Manual Fruit Juicer

Equipped with a locking strainer and bowl, the Professional Type Manual Fruit Juicer has a squeezing force of 90 kg and is designed for use in cafes, buffets, and restaurants. The drip feature prevents fruit juice from leaking out between squeezes.



NSF Certified



Two-Step Squeezing



Locking Stainless Steel Strainer



High Performance



Easy Cleaning



Non-Slip Base



Delicate Drip Cup



Adjustable Height



Ergonomic Upperpress



Exclusive Cancan Design



ORANGE



GRAPEFRUIT



POMEGRANATE



LEMON

### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0102	PROFESSIONAL TYPE MANUAL FRUIT JUICER	18,7x33,9x61 cm	4,5 kg



0103

## Pomegranate Type Manual Fruit Juicer

Equipped with a locking strainer and bowl, the Pomegranate Type Manual Fruit Juicer is designed with a larger top press diameter (11.5 cm) to make squeezing large pomegranates easier. It offers high efficiency with a squeezing force of 90 kg. Its drip cup prevents juice from leaking during squeezing. The support handle is designed for ease of use when pressing. It is developed for use in places such as cafes, buffets, and restaurants.



NSF Certified



Two-Step Squeezing



Locking Stainless Steel Strainer



High Performance



Easy Cleaning



Non-Slip Base



Delicate Drip Cup



Adjustable Height



Ergonomic Upperpress



Exclusive Cancan Design



ORANGE



GRAPEFRUIT



POMEGRANATE



LEMON

### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0103	POMEGRANATE TYPE MANUAL FRUIT JUICER	20,5x30x61 cm	4,75 kg



# Juicing Equipment Automatic Orange Juicers

Automatic Orange Juicers are ideal for quickly and efficiently squeezing citrus fruits such as oranges, tangerines, and lemons in hotels, restaurants, hospitals, commercial centers, shopping malls, dormitories, universities, and juice bars. With a single button, they automatically perform the feeding, cutting, and squeezing processes. Cancan Juicers can squeeze 28 or 38 oranges per minute. With glass serving, self-service, storage tank, and refrigerated models, they meet various needs and offer flexibility with stand and bottle holder accessories. The squeezing process occurs hands-free, ensuring guaranteed hygiene. The Automatic Orange Juicer system prevents contact between the juice and the peel, stopping the acid from the orange peel from mixing into the juice. This results in high-quality, flavorful juice.





0203

## 38 with Glass Automatic Orange Juicer

The 38 With Glass Automatic Orange Juicer is designed for businesses to efficiently squeeze citrus fruits such as oranges, tangerines, and lemons. With just one button, it automatically performs the feeding, cutting, and squeezing processes. Cancan's technology ensures that the juice and the peel do not come into contact, preventing peel acids from entering the juice and preserving its flavor.

The machine features a stainless steel body, a rotating disc, and a self-cleaning system. Its hygienic juice extraction system offers guaranteed hygiene by operating hands-free. It also includes a 15 kg fruit storage chamber and provides a practical, user-friendly design for businesses.

 Fruit Storage Basket: 15 kg and 28 kg (Optional Capacity)

 38 Glass Per Minute Orange Squeezing Capacity

 Rotating Disc

 Large Volume Trash Can

 Large Feeding Wire

 Cleaning Pipe

 Front Cover with a Safety Switch

 Dishwasher-Safe Removable Components

 Strainer and Storage Compatible with Citrus Fruits



ORANGE



TANGERINE



LEMON

### Technical Specifications

PRODUCT CODE	0203			
PRODUCT NAME	DIMENSIONS	WEIGHT	ORANGE SQUEEZING	ORANGE DIAMETER
38 WITH GLASS	79x58x98 cm	76 kg	38 units/min.	6-8 cm
ORANGE BASKET	MOTOR	CONSUMPTION	POWER	FREQUENCY
15 kg	0,37 kW	2,5 A	220 -240 V	50 - 60 Hz



0204-1101

## 38 with Tank And Stand Automatic Orange Juicer

The 38 Automatic Orange Juicer With Tank, with its large storage capacity, offers practical service convenience in high-capacity environments. It is designed for businesses to efficiently squeeze citrus fruits and serve fresh juice. With just one button, it automatically performs the feeding, cutting, and squeezing processes.

The peel waste is collected in the large trash can. The juicer has a fully stainless steel body, a mobile stand with wheels, a strengthened frame, and a bottle holder, offering both hygiene and safe use. It also includes a 15 kg fruit storage basket and provides maximum efficiency in busy environments.

-  Fruit Storage Basket: 15 kg or 28 kg (Optional Capacity)
-  38 Glass Per Minute Orange Squeezing Capacity
-  Optional Mobile Stand
-  Rotating Disk
-  70 kg Large Volume Trash Can
-  Large Feeding Wire
-  Cleaning Pipe
-  Front Cover with a Safety Switch
-  Juice Tank
-  Dishwasher-Safe Removable Components
-  Strainer and Storage Compatible with Citrus Fruits



ORANGE



TANGERINE



LEMON

### Technical Specifications

PRODUCT CODE	0204-1101			
PRODUCT NAME	DIMENSIONS	WEIGHT	ORANGE SQUEEZING	ORANGE DIAMETER
38 WITH TANK AND STAND	69x70x181 cm	117 kg	38 units/min.	6-8 cm
ORANGE BASKET	MOTOR	CONSUMPTION	POWER	FREQUENCY
15 kg	0,37 kW	2,5 A	220 -240 V	50 - 60 Hz

# 0205-1101

## 38 Fresh with Stand Automatic Orange Juicer

The 38 Fresh Automatic Orange Juicer with a self-service tap is an ideal solution for restaurants, markets, shopping malls, hospitals, dormitories, cafes, and universities to provide fresh citrus juice quickly and hygienically. With its self-service tap, made from 304 stainless steel, users can obtain juice easily by simply pressing the tap. With one button, the machine automatically performs feeding, cutting, and squeezing processes. Peel waste is collected in the large trash can. The fully stainless steel body, strengthened frame, mobile stand with wheels provide maximum hygiene, practicality, and safe use.

-  Fruit Storage Basket: 15 kg or 28 kg (Optional Capacity)
-  38 Glass Per Minute Orange Squeezing Capacity
-  Optional Mobile Stand
-  Rotating Disk
-  70 kg Large Volume Trash Can
-  Large Feeding Wire
-  Cleaning Pipe
-  Front Cover with a Safety Switch
-  Dishwasher-Safe Removable Components
-  Strainer and Storage Compatible with Citrus Fruits
-  Self Service System



### Technical Specifications

<b>PRODUCT CODE</b>	<b>0205-1101</b>			
<b>PRODUCT NAME</b>	<b>DIMENSIONS</b>	<b>WEIGHT</b>	<b>ORANGE SQUEEZING</b>	<b>ORANGE DIAMETER</b>
<b>38 FRESH WITH STAND</b>	<b>69x70x181</b>	<b>117 kg</b>	<b>38 units/min.</b>	<b>6-8 cm</b>
<b>ORANGE BASKET</b>	<b>MOTOR</b>	<b>CONSUMPTION</b>	<b>POWER</b>	<b>FREQUENCY</b>
<b>15 kg</b>	<b>0,37 kW</b>	<b>2,5 A</b>	<b>220 -240 V</b>	<b>50 - 60 Hz</b>



0205-1107

## 38 Fresh & Stand with Double Trash Can

The 38 Fresh & Stand with Double Trash Can with self-service tap is designed for restaurants, markets, shopping malls, hospitals, dormitories, cafes, and universities to offer fresh citrus juice hygienically and efficiently. Made entirely of 304 stainless steel, the self-service tap allows users to obtain juice easily by pressing the tap. With one button, the machine automatically performs feeding, cutting, and squeezing processes. Peel waste is collected in the double trash can system, increasing capacity and operational efficiency. The strengthened body and mobile stand with wheels ensure practical, hygienic, and safe use.

-  Fruit Storage Basket: 15 kg or 28 kg (Optional Capacity)
-  38 Glass Per Minute Orange Squeezing Capacity
-  Optional Mobile Stand
-  Rotating Disk
-  2x 150 kg Double Trash Can
-  Large Feeding Wire
-  Cleaning Pipe
-  Front Cover with a Safety Switch
-  Self Service System
-  Dishwasher-Safe Removable Components
-  Strainer and Storage Compatible with Citrus Fruits



ORANGE



TANGERINE



LEMON

### Technical Specifications

PRODUCT CODE	0205-1107			
PRODUCT NAME	DIMENSIONS	WEIGHT	ORANGE SQUEEZING	ORANGE DIAMETER
38 FRESH & STAND WITH DOUBLE TRASH CAN	106x94x199	137 kg	38 units/min.	6-8 cm
ORANGE BASKET	MOTOR	CONSUMPTION	POWER	FREQUENCY
28 kg	0,37 kW	2,5 A	220 -240 V	50 - 60 Hz



0206

## 28 Cafe Type Automatic Orange Juicer

The Cafe-type Automatic Orange Juicer is ideal for a wide range of establishments, including hotels, restaurants, markets, shopping malls, hospitals, student dormitories, cafes, and universities.

Designed for juicing citrus fruits like oranges, tangerines, and lemons in public settings, it has a capacity to squeeze 28 oranges per minute. This machine features a manually fed orange hopper that can store up to 7 kg of fruit.



7 kg Fruit Storage Basket



28 Glass Per Minute Orange Squeezing Capacity



2x 7.5kg Trash Can



Front Cover with a Safety Switch



Fruit Feeding Wire



Dishwasher-Safe Removable Components



Strainer and Storage Compatible with Citrus Fruits



ORANGE



TANGERINE



LEMON

### Technical Specifications

PRODUCT CODE	0206			
PRODUCT NAME	DIMENSIONS	WEIGHT	ORANGE SQUEEZING	ORANGE DIAMETER
28 CAFE TYPE	73x41,5x86,5 cm	45.2 kg	28 units/min.	6-8 cm
ORANGE BASKET	MOTOR	CONSUMPTION	POWER	FREQUENCY
7 kg	0,25 kW	2.1A	220 -240 V	50 - 60 Hz



0208

## 38 Cooler Model Automatic Orange Juicer

The 38 Cooler Model Automatic Orange Juicer, equipped with a bottom cooling system, is designed to quickly squeeze citrus fruits such as oranges, tangerines, and lemons in supermarkets and markets.

The 6-minute cooling feature ensures that the juice is kept evenly cool until the last drop, while the stainless steel structure guarantees hygiene by preventing contact between the orange juice and external surfaces. The system collects peel waste directly into the waste can. Its fully stainless steel body, strengthened mobile stand, and lockable wheels provide practical, safe, and flexible use.



Fruit Storage Basket: 15 kg or 28 kg (Optional Capacity)



38 Glass Per Minute Orange Squeezing Capacity



Rotating Disk



150 kg Large Volume Trash Can



Large Feeding Wire



Cleaning Pipe



Front Cover with a Safety Switch



Cooler System



Dishwasher-Safe Removable Components



ORANGE



TANGERINE



LEMON

### Technical Specifications

PRODUCT CODE	0208			
PRODUCT NAME	DIMENSIONS	WEIGHT	ORANGE SQUEEZING	ORANGE DIAMETER
38 COOLER MODEL	85x81x181 cm	149 kg	38 units/min.	6-8 cm
ORANGE BASKET	MOTOR	CONSUMPTION	POWER	FREQUENCY
15 kg	0,37 kW	2,5 A	220 -240 V	50 - 60 Hz



# Juicing Equipment Automatic Pomegranate Juicers

Automatic Pomegranate Press is a professional machine designed to quickly, efficiently, and effortlessly squeeze all types of citrus fruits, especially pomegranates. This model eliminates the difficulties of manually squeezing hard-shelled citrus like pomegranates, providing hygienic and high-efficiency juicing while preserving nutritional value. It is ideal for high-usage businesses such as cafes and restaurants. One of its most important advantages is its ability to squeeze different citrus fruits such as oranges, pomegranates, and lemons simultaneously. Thanks to this feature, it offers great practicality for businesses that want to prepare mixed fruit juices. Additionally, its easy-to-clean design makes it user-friendly.





0603

## Automatic Pomegranate Press

The award-winning Automatic Pomegranate Press is designed for use in hotels, restaurants, commercial centers, entertainment venues, shopping malls, student dormitories, universities, and juice buffets. One of its most important advantages is its ability to squeeze a wide variety of fruits with a single machine. Thanks to its hydraulic pressing system, it can easily squeeze pomegranates, oranges, grapefruits, lemons, and tangerines, providing hygienic, high-efficiency juicing. The double filtering system ensures that pulp does not mix into the juice. Its compact stainless steel body and easily removable parts make cleaning practical and easy.

-  8-Second Squeezing
-  Mixed Fruit Squeezing
-  Double Filter For Lower Pulp
-  Safety Switch Cover
-  Spare Top Strainer
-  IP Certified Control Button
-  Easy Cleaning



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	SQUEEZING POWER	
0603	AUTOMATIC POMEGRANATE PRESS	30,5x41,5x68 cm	1000 kg	
WEIGHT	PRESSING PLATE SIZE	CUP RESERVOIR HEIGHT	FRUIT SQUEEZING	FRUIT DIAMETER
50 kg	13x24 cm	17 cm	6 units/min.	13 cm
FRUIT RESERVOIR	MOTOR	CONSUMPTION	POWER	FREQUENCY
7 kg	0,55 kW	4,5 A	220 -240 V	50 - 60 Hz

# PREPARATION EQUIPMENTS





# Preparation Equipments Cutters & Slicers

CANCAN Preparation Equipment enables fast, safe, and hygienic operations such as slicing, chopping, peeling, and can opening in professional kitchens. Thanks to their stainless steel bodies, these machines offer long-lasting use and fully meet hygiene standards with their easy-to-clean design. Their ergonomic structures reduce labor effort in the kitchen, while specially designed blades deliver fast, uniform, and aesthetically pleasing cuts. With both manual and pneumatic model options, they adapt to kitchens of various scales, making preparation processes practical, efficient, and effortless.





1301

## Vegetable-Fruit Cutter

Designed for industrial kitchens, the Vegetable-Fruit Cutter ensures fast and precise slicing while preserving the freshness of vegetables with its sturdy body and high-quality stainless steel blades. With interchangeable blade systems, it offers three different cutting sizes, allowing quick setup and easy cleaning. Its special handle mechanism enables products to be sliced with minimal force, while the pusher block ensures uniform cuts without crushing the product. The manual locking pin increases safety before use.



Sharp Blades



Manual Locking Pin



Tilted Rubber Feet



Pushing Block



Special Handle Mechanism



LETTUCE



CABBAGE



EGGPLANT



MANGO

COOKED CHICKEN  
MEAT

12,5 mm x 12,5 mm



25 mm x 25 mm



25 mm x 50 mm

### Technical Specifications

PRODUCT CODE	PRODUCT NAME	MAXIMUM LETTUCE DIAMETER	DIMENSIONS	WEIGHT
1301	VEGETABLE-FRUIT CUTTER	17 cm	32x45x67 cm	9,5 kg



1302

## Tomato Slicer

The Tomato Slicer, manufactured from stainless steel and reinforced with durable components, is designed for heavy use in industrial kitchens. Thanks to its serrated blades, it effortlessly slices hard and even unripe tomatoes while preserving their freshness and flavor. Its ergonomic handle provides safe and comfortable use, while special vacuumed rubber feet keep the machine stable on the surface. The detachable table stabilizer ensures maximum balance and safety, especially during fast, continuous operations.

-  Sharp Serrated Blades
-  Handle
-  Special Suction Feet
-  Table Support Plate
-  Hand Guard Shield



TOMATO



5 mm



7 mm



10 mm



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	MAXIMUM TOMATO DIAMETER	DIMENSIONS	WEIGHT
1302	TOMATO SLICER	9 cm	22x54x34 cm	9 kg



1308

## Small Size Tomato Slicer

The Mini Tomato Slicer is a preferred slicer for industrial kitchens in hotels, cafes, and restaurants. Thanks to its serrated blades, it easily slices hard or even unripe tomatoes while preserving their freshness and flavor. Its special structure increases kitchen efficiency, while its ergonomic design ensures maximum performance even in small spaces.



Sharp And Serrated Blades




Ergonomic Handle



Special Suction Feet



Easy To Use and Clean



TOMATO



5 mm



7 mm



10 mm



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	MAXIMUM TOMATO DIAMETER	DIMENSIONS	WEIGHT
1308	SMALL SIZE TOMATO SLICER	9,5 cm	16x37x17 cm	3,70 kg



1306

## Practical Coring Spoon

The Practical Coring Spoon allows you to effortlessly remove tomato stems and strawberry tops with a single motion. It makes kitchen tasks easier by helping prepare fresh products quickly and effectively in both home and industrial kitchens.

-  Made of Stainless Steel
-  Minimal Error Rate
-  Comfortable Grip



TOMATO



STRAWBERRY

### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
1306	PRACTICAL CORING SPOON	2,5x12x1,5 cm	10 gr



1307

## Practical Walnut Opener

The compactly designed Practical Walnut Opener is a practical and safe solution for effortlessly cracking hard-shelled walnuts. Its adaptable shape fits all walnut sizes, helping break the shell easily without shattering the inner part. It saves time and energy while delivering the natural flavor of walnuts to your table.



Made of Stainless Steel



Practical And Fast



Comfortable Grip



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
1307	PRACTICAL WALNUT OPENER	5x0,1x5 cm	10 gr



1313

## Cheese Slicer

The Cheese Slicer, used in industrial kitchens such as hotels, restaurants, and cafes, allows for effortless slicing of various cheeses and eggs. Thanks to its adjustable wire system, it offers three cutting thickness options: 5 mm, 7 mm, and 10 mm, delivering precise and uniform cuts. The removable slicing cassette and worktable make post-use cleaning fast and easy.



Made of Stainless Steel



Three Thickness Options



Ergonomic Design



Easy Cleaning



Special Suction Feet



Effortless Slicing With Excellent Results



CHEDDAR



CHEESE



SWITZERLAND  
CHEESE



EGG



5 mm



7 mm



10 mm

### Technical Specifications

PRODUCT CODE	PRODUCT NAME	TABLE SIZE	DIMENSIONS	WEIGHT
1313	CHEESE SLICER	16,5 x 9,1 cm	23x40x11 cm	3,90 kg



1316

# Lemon Cutter

The Lemon Cutter ensures lemons are sliced quickly, evenly, and precisely, delivering flawless results. Its special blade system allows you to cut lemons into quarters or slices, making it ideal for both cocktail presentation and kitchen use. With its ergonomic pusher mechanism, it slices effortlessly and hygienically in a single motion. It is an excellent choice for hotels, restaurants, and cafes aiming for fast and aesthetic service.



Made of Stainless Steel



Sharp Blades



Easy Cleaning



Ergonomic Pusher Mechanism



Special Suction Feet



Fast And Effective Use



LEMON



LIME



4 Slices



6 Slices



8 Slices



12 Slices



6 Half Slices



12 Half Slices

## Technical Specifications

PRODUCT CODE	PRODUCT NAME	MAXIMUM LEMON DIAMETER	DIMENSIONS	WEIGHT
1316	LEMON CUTTER	8 cm	48x18x43 cm	3,4 kg



1319

## Onion Flowering Cutter

The patented-design Onion Flower Cutter slices onions into an attractive flower shape using specially sharpened precision blades. This special cut is ideal for creating visually appealing and delicious-looking "onion flower" dishes, especially popular in appetizer plates. It adds variety and style to your menu while delivering fast, uniform cuts that improve kitchen efficiency.



Made of Stainless Steel



Sharp Blades



Special Suction Feet



Manual Locking Pin



Sliding Structure Feature



Height Adjustment Attachment



Easy Cleaning



ONION



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	MAXIMUM ONION DIAMETER	DIMENSIONS	WEIGHT
1319	ONION FLOWERING CUTTER	10 cm	35x26x86 cm	9,3 kg



1320

## Mandoline Slicer

The Mandoline Slicer, used in industrial kitchens, slices fruits and vegetables into uniform sizes thanks to its double-sided serrated blades. With an adjustable slicing thickness range of 1.5–6.5 mm, it offers flexibility and streamlines kitchen workflows.



Specially Shaped Blade



Adjustable Blade Thickness Gauge



Special Non-Slip Feet



Table Rest Bracket



Handle



Large Chamber



Ergonomic Use



Safe Cutting



ONION



POTATO



TOMATO



MUSHROOM



EGGPLANT



ZUCCHINI



CUCUMBER



ORANGE



LEMON



LIME



APPLE



KIWI

### Technical Specifications

PRODUCT CODE	PRODUCT NAME	MAXIMUM VEGETABLE DIAMETER	DIMENSIONS	WEIGHT
1320	MANDOLINE SLICER	8 cm	24,5x48x50 cm	4 kg



1321

## Manual Potato Cutter

The Manual Potato Cutter, used in industrial kitchens, slices potatoes quickly and uniformly, meeting food standards with its stainless steel blade options to prepare fries in various sizes. The machine can be fixed securely to the counter or wall using its table or wall-mounting attachments. Its special pusher mechanism allows the product to be sliced evenly and effortlessly.



Made of Stainless Steel



Special Suction Feet



Blade And Pusher



Long Lifespan And Hygiene



Wall Mounting Attachment



POTATO



6mm x 6mm



10mm x 10mm



13mm x 13mm

### Technical Specifications

PRODUCT CODE	PRODUCT NAME	MAXIMUM POTATO DIAMETER	DIMENSIONS	WEIGHT
1321	MANUAL POTATO CUTTER	8 cm	20x43x41 cm	4,7 kg



1323

## Vegetable & Fruit Peeler

Vegetable & Fruit Peeler, designed for use in hotels, restaurants, cafes, and industrial kitchens, peels fruit and vegetable skins efficiently and practically. Combining practicality and productivity, this machine accelerates and standardizes the peeling process.



Peels 8 Pieces Per Minute



Two Mode Options



Thin Peel Mode



Thick Peel Mode



Made of Stainless Steel



Adjustable Blade



ORANGE



GRAPEFRUIT



TOMATO



LEMON



LIME



APPLE



PEAR



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	
1323	VEGETABLE & FRUIT PEELER	24x33x45,5 cm	
WEIGHT	THINNER PEELS (SETTING 1) / THICKER PEELS (SETTING 2)	MAKSIMUM FRUIT-VEGETABLE DIAMETER	WATT POWER
11,3 kg	8 unit/min. - 4 unit/min.	11,5 cm	35 Watt
AMP	VOLTAGE	FREQUENCY	IP
0,25 A	220-240 V	50-60 Hz	IPX4



1324

# Manual Melon Cutting Tool

Manual Melon Cutting Tool, used in industrial kitchens, markets, and greengrocers, slices melons into equal portions with its flawless, sharp blades.



Stainless Steel Shaped Blades



Different Slicing Options



Easy Handles



Easy Cleaning



MELON



4 Slices



6 Slices



8 Slices

## Technical Specifications

PRODUCT CODE	PRODUCT NAME	MAXIMUM MELON DIAMETER	DIMENSIONS	WEIGHT
1324	MANUAL MELON CUTTING TOOL	15 cm	30x20x42 cm	2,5 kg



1332

## Manual Watermelon Cutting Tool

The Manual Watermelon Cutting Tool, used in industrial kitchens, markets, and greengrocers, slices watermelons into equal portions with its flawless, sharp blades.



Stainless Steel Shaped Blades




Different Slicing Options



Easy Handles



Easy Cleaning



4 Slices



6 Slices



8 Slices

### Technical Specifications

PRODUCT CODE	PRODUCT NAME	MAKSIMUM WATERMELON DIAMETER	DIMENSIONS	WEIGHT
1332	MANUAL WATERMELON CUTTING TOOL	28 cm	40x23x52 cm	4,5 kg



1327

## Manual Watermelon Slicer

The Manual Watermelon Slicer makes it practical to slice watermelons and melons into equal pieces. This machine, which enhances presentation appeal, is used in markets, restaurants, cafes, hotels, and industrial kitchens. It helps increase serving quality by allowing customers to access fresh fruit quickly and efficiently.



Made of Stainless Steel



Easy Cutting



Non-Slip Rubber Feet



Easy Cleaning



WATERMELON



MELON

WATERMELON

MELON

### Technical Specifications

PRODUCT CODE	PRODUCT NAME	MAXIMUM LENGHT OF FRUIT	DIMENSIONS	WEIGHT
1327	MANUAL WATERMELON SLICER	37,5 cm x 7,5 cm	49x50x17 cm	16,7 kg



1325

## Leaf Cutting

The Leaf Cutting is used in industrial kitchens such as hotels, restaurants, fast food outlets, and catering services. With a cutting thickness of 1.5 mm, this product's body is made entirely of stainless steel, meeting food standards. It creates visually appealing and elegant presentations by slicing fruits and vegetables into thin leaf-like forms.



Made of Stainless Steel



Special Non-Slip Suction Feet



Ergonomic Crank Handle



Easy Cleaning



POTATO



RÂDISH



ZUCCHINI



APPLE

### Technical Specifications

PRODUCT CODE	PRODUCT NAME	MAXIMUM CUTTING DIAMETER/LENGHT	DIMENSIONS	WEIGHT
1325	LEAF CUTTING	15 cm/12 cm	29x21x20 cm	2,3 kg



1326

## Manual Pineapple Slicer

The Manual Pineapple Slicer is designed for use in supermarkets, hotels, restaurants, and greengrocers, making it easy to slice pineapples into equal parts. Its functional design and sharp blades ensure the slicing process is performed quickly and efficiently.



Made of Stainless Steel



Easy Cutting



Non-Slip Rubber Feet



Easy Cleaning



PINEAPPLE

### Technical Specifications

PRODUCT CODE	PRODUCT NAME	MAXIMUM PINEAPPLE DIAMETER	DIMENSIONS	WEIGHT
1326	MANUAL PINEAPPLE SLICER	12 cm	27x38x16 cm	8,4 kg



0801

# Pineapple Peeler

The Pineapple Peeler is designed for hotels, restaurants, shopping centers, and greengrocers to peel pineapples quickly, safely, and efficiently. The peeler allows for one-touch peeling and coring, offering practical and hygienic use with its easily removable parts. All parts in contact with food are made of stainless steel and produced in compliance with food standards.



Polyethylene Feet



Safety Pin



Pusher Block



Pusher Block Pin



Optional Metal Stand



PINEAPPLE



74 mm



89 mm



95 mm



102 mm

### Technical Specifications

PRODUCT CODE	PRODUCT NAME	MAXIMUM PINEAPPLE DIAMETER	DIMENSIONS	WEIGHT
0801	PINEAPPLE PEELER	15 cm	39,5x49x94 cm	12,2 kg



0810

## Pineapple Guillotine Cutter

The Pineapple Guillotine Cutter is designed to easily cut the tough corner parts of pineapples. Thanks to its adjustable blade system, it cuts pineapples of any size into equal pieces, accelerating preparation and saving time and labor in the kitchen. It is especially suitable for supermarket produce sections, industrial kitchens, and fruit processing areas. Its stainless steel body and easy-to-clean parts provide a hygienic and long-lasting solution.



Made of Stainless Steel



Adjustable Blade Distance



Manual Locking Pin



Special Suction Feet



PINEAPPLE



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	MAXIMUM PINEAPPLE DIAMETER	DIMENSIONS	WEIGHT
0810	PINEAPPLE GUILLOTINE CUTTER	15 cm	26x40x15,5 cm	5,8 kg



1423

## Pineapple Trio

Specially designed for supermarkets and greengrocers, the Pineapple Trio combines the Pineapple Guillotine Cutter, Pineapple Peeler, and Manual Pineapple Slicer into a single unit, saving space and making pineapple storage within the stand easier.



To cut the tough corners of the pineapple:

**0810 Pineapple Guillotine Cutter**



To peel and core in one motion:

**0801 Pineapple Peeler**



To slice into equal parts:

**1326 Manual Pineapple Slicer**



PINEAPPLE



PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
1423	PINEAPPLE TRIO	89x63x153 cm	72,4 kg



1315

# Fruit Cutter

The Fruit Cutter is designed for hotels, restaurants, cafes, and industrial kitchens to slice various fruits quickly, evenly, and efficiently, saving time and offering practicality. This machine, used across a wide range from restaurant kitchens to self-service operations, makes chefs' workflows much more efficient.



Made of Stainless Steel



Easy Cleaning



Ergonomic Pusher Mechanism



Special Suction Feet



Angled Design



ORANGE



LEMON



LIME



KIWI



TOMATO



4 Slices



6 Slices



8 Slices



12 Slices



4 Slices



6 Slices



8 Slices



12 Slices

Core Remover Blade

## Technical Specifications

PRODUCT CODE	PRODUCT NAME	MAXIMUM FRUIT DIAMETER	DIMENSIONS	WEIGHT
1315	FRUIT CUTTER	8,5 cm	47x35x65 cm	4,90 kg



1318

## Vertical Tomato Slicer

The Vertical Tomato Slicer is designed for hotels, restaurants, cafes, and industrial kitchens to slice tomatoes quickly, precisely, and evenly, saving time and increasing practicality in the kitchen. This machine, used across a wide range from restaurant kitchens to self-service operations, helps professional chefs make their workflow more efficient.



Made of Stainless Steel



Sharp Blades



Easy Cleaning



Ergonomic Pusher Mechanism



Special Suction Feet



Angled Design



TOMATO



CHERRY  
TOMATO



ORANGE



ORANGE



LIME



KIWI



APPLE



STRAWBERRY



MUSHROOM



5 mm



7 mm



10 mm

### Technical Specifications

PRODUCT CODE	PRODUCT NAME	MAXIMUM VEGETABLE-FRUIT DIAMETER	DIMENSIONS	WEIGHT
1318	VERTICAL TOMATO SLICER	8,5 cm	47x35x66 cm	5,45 kg



1317

# Combined Slicer

The Combined Slicer is designed for hotels, restaurants, cafes, and industrial kitchens to slice vegetables and fruits quickly, precisely, and evenly, saving time and offering practicality. This machine, used widely from restaurant kitchens to mass food service businesses, enhances the workflow of professional chefs. With its 13 interchangeable blades, it meets various slicing needs and allows slicing any vegetable or fruit at the desired thickness and shape.



Made of Stainless Steel



Sharp Blades



Easy Cleaning



Ergonomic Pusher Mechanism



Special Suction Feet



TOMATO



PEPPER



ORANGE



LEMON



LIME



KIWI



APPLE



STRAWBERRY



MUSHROOM



4 Slice



6 Slice



8 Slice



12 Slice



4 Slice



6 Slice



8 Slice



12 Slice



5 mm



7 mm



10 mm



10 mm x 10 mm



13 mm x 13 mm

Core Remover Blade

## Technical Specifications

PRODUCT CODE	PRODUCT NAME	MAXIMUM VEGETABLE-FRUIT DIAMETER	DIMENSIONS	WEIGHT
1317	COMBINED SLICER	9 cm	47x18x61 cm	7 kg



1330

## Pizza Slicer

The Pizza Slicer is a fast, hygienic, and practical device that ensures 4 or 8 equal slices, offering time-saving solutions for restaurants and industrial kitchens.



Made of Stainless Steel



Ergonomic Design



Special Handle Mechanism



Capacity



High Durability



Fast Slicing



PIZZA



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	MAXIMUM PIZZA DIAMETER	DIMENSIONS	WEIGHT
1330	PIZZA SLICER	55 cm	60x85x57 cm	39 kg



1305

## Pneumatic Potato Cutter

The Pneumatic Potato Cutter slices potatoes quickly and precisely, reducing labor effort, saving time, and ensuring uniform, flawless cuts to increase kitchen efficiency.

Thanks to its sharp stainless steel blades, it produces equal-sized potato slices effortlessly at the desired thickness.



Stainless Steel Blades



High Technology



Lid With Safety Switch



Ergonomic Lid Handle



Air Socket



Non-Slip Rubber Feet



POTATO



CUCUMBER



CARROT



6 mm



10 mm



13 mm

### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
1305	PNEUMATIC POTATO CUTTER	26x69x27 cm	19,2 kg
MAXIMUM POTATO DIAMETER	MAXIMUM WORKING FORCE	WORKING PRESSURE	MAXIMUM SLICING LENGTH
8 cm	1500 N	6-8 bar	19 cm



1309

## Pneumatic Melon Cutter

The Pneumatic Melon Cutter uses air pressure to slice melons of various sizes precisely and effortlessly, delivering clean cuts with minimal labor. From large-scale production facilities to catering operations, it offers exceptional efficiency and high productivity with less workforce.



Made of Stainless Steel



Fast And Even Slicing



Ease Of Use



Advanced Air System



Durable Structure



MELON



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
1309	PNEUMATIC MELON CUTTER	65x54x215 cm	70 kg
MAXIMUM SLICING LENGTH	MAXIMUM SLICING DIAMETER	MAXIMUM WORKING FORCE	WORKING PRESSURE
35 cm	22 cm	1500 N	6-8 bar



1310

## Pneumatic Watermelon Cutter

The Pneumatic Watermelon Cutter uses air pressure to slice watermelons of various sizes precisely and effortlessly, delivering clean cuts. From large-scale production facilities to catering operations, it offers unmatched efficiency and high productivity with less workforce.



Made of Stainless Steel



Double Safety Button



Ease Of Use





Advanced Air System



Two Blade Options (Cube Cutting, Circular Cutting)



WATERMELON MELON



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
1310	PNEUMATIC WATERMELON CUTTER	65x54x180 cm	60 kg
MAXIMUM SLICING LENGTH	MAXIMUM SLICING DIAMETER	MAXIMUM WORKING FORCE	WORKING PRESSURE
28 cm	26 cm	1500 N	6-8 bar



0809

## Pneumatic Pineapple Peeler with Stand

The Pneumatic Pineapple Peeling Machine simplifies the time- and labor-intensive pineapple peeling process with an advanced air pressure system. This innovative solution provides fast and consistent peeling performance, saving both time and labor costs. Thanks to its pneumatic technology, which adapts to the shape and size of the fruit, each pineapple is perfectly peeled every time. From large-scale production facilities to catering operations, it offers exceptional efficiency and high productivity with less workforce. Its brake-equipped wheels on the portable mobile stand make it easy to move the unit.



Made of Stainless Steel



Double Safety Button



One-Step Effective Result



Advanced Air System

Brake-Equipped Wheels  
Portable Mobile Stand

### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0809	PNEUMATIC PINEAPPLE PEELING MACHINE	70x42x180	60 kg
MAXIMUM SLICING LENGTH	MAXIMUM SLICING DIAMETER	MAXIMUM WORKING FORCE	WORKING PRESSURE
25 cm	15 cm	1500 N	6-8 bar



1333

## Sausage Slicer

The Sausage Slicer stands out with its ease of use, effortlessly slicing sausages. Its compact and portable design offers great convenience, and the suction feet keep it stable during use. The machine comes with two blade options (6 mm and 12 mm) and works with a compatible tray cover. Both the tray cover and blades are made entirely of stainless steel and can be easily detached and washed in the dishwasher.

**NEW!**

Compact And Portable Design



Blade Options: 6 mm And 12 mm



Easy Cleaning



Compatible Tray Cover



Special Suction Feet



SAUSAGE




STRAWBERRY



BANANA



MUSHROOM



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
1333	SAUSAGE SLICER	21,5x30x23,5 cm	3 kg



1334

## Spiral Twister Potato Cutter

The Spiral Potato Cutter slices potatoes into spiral shapes, creating visually appealing and uniform cuts. It's an ideal product for fast-food restaurants, street food vendors, and festival stands. Thanks to its sharp blades, it allows the potato to be easily cut and placed onto a stick, ready for presentation. This slicing method not only enhances presentation but also shortens cooking time, offering a practical and efficient preparation process.



Spiral Cutting



Fast And Practical Slicing



Easy Operation



Potato Holding Feature



Special Suction Feet



POTATO



CUCUMBER



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
1334	SPIRAL TWISTER POTATO CUTTER	12,55x34x21,35 cm	1,742 kg



1335

## Block Cheese Slicer

The Block Cheese Slicer effortlessly slices cheese into even thicknesses thanks to its wire system. Made entirely of stainless steel, its body offers superior durability and long lifespan. Its compact design ensures easy portability and practical use.



Compact And Portable Design



Easy Operation



Easy Cleaning



Customizable Slices



Non-Slip Rubber Feet



WHITE CHEESE

YELLOW CHEESE  
[KASHAR]

BUTTER



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
1335	BLOCK CHEESE SLICER	25,45x33,7x4,9 cm	1,612 kg



1336

## Rail Cheese Slicer

The Rail Cheese Slicer is designed to effortlessly cut the hardest and largest cheese blocks. Its wire cutting system slices cheese blocks cleanly and evenly, while the spring system allows cutting hard cheeses without extra force. The non-slip rubber feet keep the machine stable during cutting, ensuring safe use. Made entirely of stainless steel, it offers superior durability and long lifespan, and is extremely easy to clean.

**NEW!**

Compact And Portable Design



Suitable Cutting For Hard And Large Cheeses



Easy Cleaning



Wire Cutting



Non-Slip Rubber Feet



WHITE CHEESE

YELLOW CHEESE  
(KASHAR)OLD  
CHEESE

### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
1336	RAIL CHEESE SLICER	29,8x39,5x15 cm	5,056 kg



1337

## Block Cheese Slicer XL

Thanks to its wire system, the block cheese slicer effortlessly slices cheese by lowering the wire from top to bottom. It delivers high performance even with hard cheeses. The specially designed cutting mechanism ensures clean, even slices without applying excessive force or breaking the cheese. It is ideal for use in both professional kitchens and high-volume service areas.



Compact And Portable Design



Suitable Cutting For Hard And Large Cheeses



Easy Cleaning



Wire Cutting



Non-Slip Rubber Feet



BUTTER



WHITE  
CHEESE



YELLOW CHEESE  
(KASHAR)



OLD  
CHEESE



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
1337	BLOCK CHEESE SLICER XL	30,7x29,5x49 cm	4,2 kg



1338

## Sausage Slicer (Julienne Cut)

The Sausage Slicer (Julienne Cut) is designed to quickly, evenly, and aesthetically slice sausages into julienne form. Ideal for breakfast services, ready-to-eat production, and fast-food kitchens, this machine uses sharp blades to cut products into clean strips without crushing them. It offers standard and symmetrical slices, enhancing presentation quality and optimizing cooking time. With its practical use, easy-to-clean design, and sturdy body, it provides significant time and labor savings in suitable kitchen environments.



Made of Stainless Steel



Compact And Portable Design



Easy Cleaning



Detachable Parts



SAUSAGE



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
1338	SAUSAGE SLICER (JULIENNE CUT)	20,5x40x20 cm	1,5 kg



1340

## Spiral Curly Fry Cutter

The Spiral Curly Fry Cutter is a highly efficient and practical device capable of producing spiral cuts. Its easy-to-use handle and threaded shaft enable smooth cutting without the need for extra force. The latch on the threaded shaft allows the handle to be retracted in a single motion when the process is complete, saving time. Its compact and portable design adapts to various workspaces. The fixing blade holds the product steady during cutting, while the removable cutting head can be easily washed in a dishwasher. Additionally, the base plate can be detached if desired, allowing it to be mounted on any table.



Made of Stainless Steel



Handle And Threaded Shaft



Potato Holding Feature



Removable Base Tray



POTATO



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
1340	SPIRAL CURLY FRY CUTTER	20x48x24 cm	3,170 kg



1342

## Electrical Potato Cutter

Electrical Potato Cutter is designed to slice potatoes quickly, evenly, and precisely. Powered by a strong electric motor, it operates with high efficiency without the need for manual force or air connection. Its ergonomic design and sharp stainless steel blades allow for uniform cuts without deforming the potatoes. It is ideal for intensive use in restaurants, fast food outlets, and industrial kitchens.



Stainless Steel Blades



Start/Stop &amp; Safety Buton



Lid With Safety Switch



Ergonomic Lid Handle



High-Tech Motor



Non-Slip Rubber Feet



POTATO



CUCUMBER



CARROT



6 mm



10 mm



13 mm

### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT	MAXIMUM POTATO DIAMETER
1342	ELECTRICAL POTATO CUTTER	30x39,8x44 cm	44,5 kg	8 cm
MAXIMUM SLICING LENGTH	VOLTAJ	FREKANS	HOURLY SLICING CAPACITY (UNITS)	HOURLY SLICING CAPACITY (KG)
19 cm	220 - 230 V	50 - 60 Hz	960	75 kg



1701

## Butter Roller

The Butter Roller, used in hotels, restaurants, cafes, and industrial kitchens, applies oils (including butter, olive oil, and spiced sauces) to bread in a controlled manner, preventing excess use while enhancing flavor. It offers efficient, hygienic, and cost-saving application for a wide range of kitchen operations.



Made of Stainless Steel



Time And Cost Efficiency



Easy Cleaning




Effortless Use



Practical And Fast



BURGER BUN



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
1701	BUTTER ROLLER	17,5x16x10,5 cm	0,55 kg



1705

## Butter Roller XL

The Butter Roller XL, designed for use in hotels, restaurants, cafes, and industrial kitchens, applies butter, olive oil, and even seasoned sauces in a controlled manner across a wide range of breads and toasts. This enhances flavor while preventing waste, offering both efficiency and precision.



Made of Stainless Steel



Easy To Use



Easy To Clean



Practical And Fast



Time And Cost Saving



BURGER BUN



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
1705	BUTTER ROLLER XL	37,5x19,5x12 cm	1,225 kg



1706

## Smash Burger Press (Circular)

The Smash Burger Press allows you to press burger patties in one swift motion, ensuring rapid caramelization and even cooking. Offered with 12 mm, 14 mm, and 16 mm diameter options, its stainless steel base and ergonomic plastic handle deliver consistent results in both professional kitchens and home chef environments. Its sturdy body, heat-resistant structure, and easy-to-clean surface make kitchen workflows more efficient.

**NEW!**

Stainless Steel Base



Ergonomic Wooden Handle



Circular Pressing Surface



Easy To Clean



BURGER PATTY



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	DIAMETER	WEIGHT
1706	SMASH BURGER (CIRCULAR)	8x12x12,5 cm	12 mm 14 mm 16 mm	0,45 kg



1707

## Smash Burger Press (Square)

The Smash Burger Press enables you to press burger patties in one swift motion, ensuring quick caramelization, even cooking, and consistent results. Featuring a 12 mm stainless steel base and an ergonomic plastic handle, it delivers reliable performance in both professional kitchens and home chef use. Its sturdy body, heat-resistant structure, and easy-to-clean surface make kitchen workflows more efficient.



Stainless Steel Base



Ergonomic Wooden Handle



Wide Pressing Surface



Easy To Clean



BURGER PATTY



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
1707	SMASH BURGER (SQUARE)	16,1x14x8 cm	0,67 kg



1708

# Tamper

The Coffee Tamper ensures a flat and homogeneous coffee bed during espresso preparation, allowing water to pass evenly through the coffee for optimal extraction. Offered in 51 mm, 53 mm, 55 mm, and 58 mm diameter options, its stainless steel base and ergonomic handle provide the consistent tamping pressure sought by both home baristas and busy coffee shops. Balanced weight distribution and a non-slip grip surface create the ideal professional base for maximizing flavor.

**NEW!**

Stainless Steel Base



Ergonomic Handle



Balanced Weight Distribution



Micro-Smooth Surface



Easy To Clean



COFFEE



## Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	DIAMETER	WEIGHT
1708	TAMPER	9,15 cm	5,1 cm 5,3 cm 5,5 cm 5,8 cm	0,308 kg



1709

## Iron Steak Weight

The Iron Steak Weight Presses burger patties and meat in a single motion, ensuring fast caramelization and even cooking. Its solid cast iron body retains heat perfectly, delivering consistent results in both professional kitchens and home use. The ergonomic handle ensures a comfortable grip, while its durable structure guarantees long-lasting use. Its easy-to-clean surface streamlines kitchen workflow, taking your burger and grill experiences to the next level.



Cast Iron Body



Ergonomic Handle



Wide Pressing Surface



Easy To Clean



BURGER PATTY



STEAK



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
1709	IRON STEAK WEIGHT	20x10x10 cm	1 kg



# Preparation Equipments Electrical & Manual Can Openers

CANCAN Can Openers offer safe and fast use in kitchens with their durable structure and ergonomic design. Thanks to their stainless steel materials, they provide long-lasting performance and fully comply with hygiene standards. With both manual and electric models, CANCAN offers solutions for various needs, catering to a wide range of applications from industrial kitchens to catering services. Their easy-to-use mechanisms reduce workload, making preparation processes more efficient and practical.





0302

## Professional Type Manual Can Opener

The professional type manual can opener provides great convenience to users by safely and hygienically opening cans, whether large or small, in places such as professional catering, industrial kitchens, hospitals, and cafeterias.



NSF Certified



Turning Handle



Helical Gear



Stainless-Steel Blade



Stainless-Steel Food



Stainless-Steel Fixing Aparatus



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DAILY CAPACITY	WEIGHT	PROFILE HEIGHT	CAN SIZES
0302	PROFESSIONAL TYPE MANUAL CAN OPENER	40 - 65 CANS	2 kg	63 cm	MAXIMUM 55 cm



0303

## Stainless Manual Can Opener

The Stainless Manual Can Opener provides great convenience to users by offering the ability to safely and hygienically open cans, regardless of size, in places such as professional catering services, industrial kitchens, hospitals, and cafeterias.



NSF Certified



Turning Handle



Helical Gear



Stainless-Steel Blade



Stainless-Steel Food



Stainless-Steel Fixing Aparatus



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DAILY CAPACITY	WEIGHT	PROFILE HEIGHT	CAN SIZES
0303	STAINLESS MANUAL CAN OPENER	65 - 100 CANS	3 kg	63 cm	MAXIMUM 55 cm



0702

## Professional Type Electrical Can Opener

### Circle Cut

The fully stainless-steel professional type electrical can opener is designed to open cans such as cheese, olives, and paint tins in industrial kitchens quickly and without requiring much force, thanks to its rotating helix gear that prevents slipping and skipping, stainless-steel blade, and special design. The Professional Type Electrical Can Opener helps companies ensure workplace safety by reducing the risk of potential work accidents.



Handle



Brake Lever



Helical Gear



Stainless-Steel Blade



Stainless-Steel Arm



Stainless-Steel Support Shaft



Magnetic Holding Shaft



Rotating Table



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT	CAN OPENING CAPACITY
0702	PROFESSIONAL TYPE ELECTRICAL CAN OPENER	49x31x80 cm	30 kg	3-8 units/min.
CAN SIZES	MOTOR	POWER	FREQUENCY	
6 cm - 35 cm	0,18 kW	220 - 240 V	50 - 60 Hz	



0703

## Professional Type Electrical Can Opener

### Circle-Square Cut

The fully stainless-steel professional type electrical can opener is designed to open industrial kitchen cans such as cheese, olives, and paint tins quickly and without requiring much force, thanks to its rotating helix gear that prevents slipping and skipping, its stainless-steel blade, and its special design. The Professional Type Electrical Can Opener helps companies ensure workplace safety by reducing the risk of potential work accidents.



Handle



Brake Lever



Helical Gear



Stainless-Steel Blade



Stainless-Steel Arm



Stainless-Steel Support Shaft



Magnetic Holding Shaft



Rotating Table



Moving Table



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT	CAN OPENING CAPACITY
0703	PROFESSIONAL TYPE ELECTRICAL CAN OPENER	49x59x80 cm	35 kg	3-8 Adet/dk
CAN SIZES	MOTOR	POWER	FREQUENCY	
6 cm - 35 cm	0,18 kW	220 - 240 V	50 - 60 Hz	

# WASHING EQUIPMENTS





# Washing Equipments

CANCAN Washing Equipments are designed for maximum hygiene and efficiency in industrial kitchens. With their stainless-steel construction, they offer long-lasting use while their ergonomic designs speed up workflows and ensure water savings. Offering both compact and large-capacity models for various kitchen needs, they make it easy to hygienically clean vegetables, fruits, and kitchen equipment. With CANCAN, washing processes become cleaner, more practical, and safer.



0501

## MT01 Sink Mounted Pre-Rinse Faucet

Sink-mounted pre-rinse faucets are used in industrial kitchens, industrial dishwashing machines, and vegetable-fruit washing units during the pre-wash stage.



Brass Material with Chrome Plating



Stainless Steel Pipes



360° Rotating Handle



Water Outlet Strainer



Hot and Cold Water Inlet



Cataphoresis Coated Spring



Water Pressure Adjustment



Water and Detergent Savings



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0501	MT01 SINK MOUNTED PRE-RINSE FAUCET	15x44x114 cm	4,4 kg

0502

## MT02 Sink Mounted Pre-Rinse Faucet with Intermediate Tap

Sink-mounted pre-rinse faucets are used in industrial kitchens, industrial dishwashing machines, and vegetable-fruit washing units during the pre-wash stage.



Brass Material with Chrome Plating



Stainless Steel Pipes



360° Rotating Handle



Water Outlet Strainer



Hot and Cold Water Inlet



Cataphoresis Coated Spring



Water Pressure Adjustment



Water and Detergent Savings



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0502	MT02 SINK MOUNTED PRE-RINSE FAUCET WITH INTERMEDIATE TAP	15x44x114 cm	4,8 kg

0503

## MT03 Wall Mounted Pre-Rinse Faucet

Wall-mounted pre-rinse faucets are used in industrial kitchens, industrial dishwashing machines, and vegetable-fruit washing units during the pre-wash stage.



Brass Material with Chrome Plating



Stainless Steel Pipes



360° Rotating Handle



Water Outlet Strainer



Hot and Cold Water Inlet



Cataphoresis Coated Spring



Water Pressure Adjustment



Water and Detergent Savings



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0503	MT03 WALL MOUNTED PRE-RINSE FAUCET	15x44x114 cm	4,2 kg

0504

## MT04 Wall Mounted Pre-Rinse Faucet with Intermediate Tap

Wall-mounted pre-rinse faucets are used in industrial kitchens, industrial dishwashing machines, and vegetable-fruit washing units during the pre-wash stage.

-  Brass Material with Chrome Plating
-  Stainless Steel Pipes
-  360° Rotating Handle
-  Water Outlet Strainer
-  Hot and Cold Water Inlet
-  Cataphoresis Coated Spring
-  Water Pressure Adjustment
-  Water and Detergent Savings



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0504	MT04 SINK MOUNTED PRE-RINSE FAUCET WITH INTERMEDIATE TAP	15x44x114 cm	4,9 kg

0505

## MT05 Mini Size Sink Mounted Pre-Rinse Faucet

Mini Size Pre-Rinse Faucets are used in homes, industrial kitchens, industrial dishwashers, and vegetable and fruit washing units during the pre-wash stage.



Brass Material with Chrome Plating



Stainless Steel Pipes



360° Rotating Handle



Water Outlet Strainer



Hot and Cold Water Inlet



Cataphoresis Coated Spring



Water Pressure Adjustment



Water and Detergent Savings



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0505	MT05 MINI SIZE SINK MOUNTED PRE-RINSE FAUCET	15x44x58 cm	3,2 kg

0506

## MT06 Mini Size Sink Mounted Pre-Rinse Faucet with Intermediate Tap

Mini Size Pre-Rinse Faucets with Intermediate Taps are used in homes, industrial kitchens, industrial dishwashers, and vegetable and fruit washing units during the pre-wash stage.



Brass Material with Chrome Plating



Stainless Steel Pipes



360° Rotating Handle



Water Outlet Strainer



Hot and Cold Water Inlet



Cataphoresis Coated Spring



Water Pressure Adjustment



Water and Detergent Savings



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0506	MT05 MINI SIZE SINK MOUNTED PRE-RINSE FAUCET WITH INTERMEDIATE TAP	15x44x58 cm	3,8 kg



# Washing Equipments Deluxe Series

CANCAN Deluxe Pre-Rinse Faucets are designed to enhance hygiene and efficiency in industrial kitchens. Their stainless-steel construction ensures long-lasting use, while the ergonomic design provides water savings and ease of operation. With compact and standard models, they make the effective pre-washing of vegetables, fruits, and equipment practical and safe.



0507

## MT01 Deluxe Sink Mounted Pre-Rinse Faucet

Sink-mounted pre-rinse faucets are used in industrial kitchens, industrial dishwashing machines, and vegetable-fruit washing units during the pre-wash stage.



Brass Material with Chrome Plating



Stainless Steel Pipes



360° Rotating Handle



Water Outlet Strainer



Hot and Cold Water Inlet



Stainless Steel Spring



Water Pressure Adjustment



Water and Detergent Savings



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0507	MT01 DELUXE SINK MOUNTED PRE-RINSE FAUCET	16x54x113 cm	4,7 kg

0508

## MT02 Deluxe Sink Mounted Pre-Rinse Faucet with Intermediate Tap

Sink-mounted pre-rinse faucets are used in industrial kitchens, industrial dishwashing machines, and vegetable-fruit washing units during the pre-wash stage.



Brass Material with Chrome Plating



Stainless Steel Pipes



360° Rotating Handle



Water Outlet Strainer



Hot and Cold Water Inlet



Stainless Steel Spring



Water Pressure Adjustment



Water and Detergent Savings



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0508	MT02 DELUXE SINK MOUNTED PRE-RINSE FAUCET WITH INTERMEDIATE TAP	16x54x113 cm	5,4 kg

0512

## MT03 Deluxe Wall Mounted Pre-Rinse Faucet

Wall-mounted pre-rinse faucets are used in industrial kitchens, industrial dishwashing machines, and vegetable-fruit washing units during the pre-wash stage.



Brass Material with Chrome Plating



Stainless Steel Pipes



360° Rotating Handle



Water Outlet Strainer



Hot and Cold Water Inlet



Stainless Steel Spring



Water Pressure Adjustment



Water and Detergent Savings



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0512	MT03 DELUXE WALL MOUNTED PRE-RINSE FAUCET	22x45x113 cm	4 kg

0513

## MT04 Deluxe Wall Mounted Pre-Rinse Faucet with Intermediate Tap

Wall-mounted pre-rinse faucets are used in industrial kitchens, industrial dishwashing machines, and vegetable-fruit washing units during the pre-wash stage.



Brass Material with Chrome Plating



Stainless Steel Pipes



360° Rotating Handle



Water Outlet Strainer



Hot and Cold Water Inlet



Stainless Steel Spring



Water Pressure Adjustment



Water and Detergent Savings



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0513	MT04 DELUXE WALL MOUNTED PRE-RINSE FAUCET WITH INTERMEDIATE TAP	22x45x113 cm	5 kg

0509

## MT05 Deluxe Mini Size Sink Mounted Pre-Rinse Faucet

Mini Size Pre-Rinse Faucets are used in homes, industrial kitchens, industrial dishwashers, and vegetable and fruit washing units during the pre-wash stage.



Brass Material with Chrome Plating



Stainless Steel Pipes



360° Rotating Handle



Water Outlet Strainer



Hot and Cold Water Inlet



Stainless Steel Spring



Water Pressure Adjustment



Water and Detergent Savings



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0509	MT05 DELUXE MINI SIZE SINK MOUNTED PRE-RINSE FAUCET	16x54x56,5 cm	3,5 kg

0510

## MT06 Deluxe Mini Size Sink Mounted Pre-Rinse Faucet with Intermediate Tap

Mini Size Pre-Rinse Faucets with Intermediate Taps are used in homes, industrial kitchens, industrial dishwashers, and vegetable and fruit washing units during the pre-wash stage.



Brass Material with Chrome Plating



Stainless Steel Pipes



360° Rotating Handle



Water Outlet Strainer



Hot and Cold Water Inlet



Stainless Steel Spring



Water Pressure Adjustment



Water and Detergent Savings



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0510	MT06 DELUXE MINI SIZE SINK MOUNTED PRE-RINSE FAUCET WITH INTERMEDIATE TAP	16x45x56,5 cm	4,2 kg



# Washing Equipments Sink Mount Pot Filler





0511

## Sink Mount Pot Filler

The Sink Mount Pot Filler is designed to quickly fill large pots in industrial kitchens without needing to lift them off the stove. Made from 304 stainless steel, it features a 180° rotating dual-jointed arm and a ceramic cartridge valve that opens and closes with a quarter turn, providing maximum hygiene, durability, and user comfort. It connects only to the cold water line; its high flow rate increases service speed, while the ergonomic handle allows precise control of water flow at the point of use.



Stainless Steel Body



180° Rotating Movable Spout



Full Open / Close with One Motion



Easy Cleaning &amp; Maintenance



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0511	SINK MOUNT POT FILLER	78x6,5x93 cm	2,8 kg



# Washing Equipments Retractable Models



0905

## Retractable Pre-Rinse Faucet with Reel Hose (2mt)

The 2m Retractable Pre-Rinse Faucet is used in industrial kitchens, food preparation areas, mass food production facilities, industrial dishwashers, vegetable-fruit washing sinks, and industrial ovens as a pre-rinse spray. Its robust structure and flexible hose make it suitable for heavy use, providing practicality and hygiene during cleaning processes.



2m Hose Reel Capacity



Wall Mount Feature



Adjustable Hose Outlet



Polyamide-Bearing Reel Hub



Stainless Steel Outer Body



10-30 Bar Pressure-Resistant Hose



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0905	RETRACTABLE PRE-RINSE FAUCET WITH REEL HOSE (2MT)	10x20x23 cm	3 kg



0901

## Retractable Pre-Rinse Faucet with Reel Hose (6mt)

The 6m Retractable Pre-Rinse Faucet is used in industrial kitchens, food preparation and mass food production facilities, industrial dishwashers, and vegetable and fruit washing sinks as a pre-rinse spray, with its two-stage retractable hose covering a area of 38 m<sup>2</sup>.



6m Hose Reel Capacity



Wall Mount Feature



Adjustable Hose Outlet



Polyamide-Bearing Reel Hub



Stainless Steel Outer Body



10-30 Bar Pressure-Resistant Hose



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0901	RETRACTABLE PRE-RINSE FAUCET WITH REEL HOSE (6MT)	8x42x38 cm	10 kg



0902

## Retractable Pre-Rinse Faucet with Reel Hose (10mt)

The 10m Retractable Pre-Rinse Faucet is used in industrial kitchens, food preparation and mass food production facilities, industrial dishwashers, and vegetable and fruit washing sinks as a pre-rinse spray, with its two-stage retractable hose covering an area of 63 m<sup>2</sup>.



10m Hose Reel Capacity



Wall Mount Feature



Adjustable Hose Outlet



Polyamide-Bearing Reel Hub



Stainless Steel Outer Body



10-30 Bar Pressure-Resistant Hose



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0902	0905 RETRACTABLE PRE-RINSE FAUCET WITH REEL HOSE (10MT)	12x49x45 cm	15,6 kg

0903

## Retractable Pre-Rinse Faucet with Reel Hose (12mt)

The 12m Retractable Pre-Rinse Faucet is used in industrial kitchens, food preparation and mass food production facilities, industrial dishwashers, and vegetable and fruit washing sinks as a pre-rinse spray, with its two-stage retractable hose covering an area of 75 m<sup>2</sup>.



12m Hose Reel Capacity



Wall Mount Feature



Adjustable Hose Outlet



Polyamide-Bearing Reel Hub



Stainless Steel Outer Body



10-30 Bar Pressure-Resistant Hose



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0903	RETRACTABLE PRE-RINSE FAUCET WITH REEL HOSE (12MT)	12x49x45 cm	16 kg

0904

## Retractable Pre-Rinse Faucet with Reel Hose (15mt)

The 15m Retractable Pre-Rinse Faucet is used in industrial kitchens, food preparation and mass food production facilities, industrial dishwashers, and vegetable and fruit washing sinks as a pre-rinse spray, with its two-stage retractable hose covering an area of 100 m<sup>2</sup>.



15m Hose Reel Capacity



Wall Mount Feature



Adjustable Hose Outlet



Polyamide-Bearing Reel Hub



Stainless Steel Outer Body



10-30 Bar Pressure-Resistant Hose



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT
0904	RETRACTABLE PRE-RINSE FAUCET WITH REEL HOSE (15MT)	12x49x45 cm	16,5 kg



# Washing Equipments Industrial Type Pot Washing Machine



# 1001

## Industrial Type Pot Washing Machine

Industrial Type Pot Washing Machine cleans dirt and grease stuck on pots, pans, and cauldrons in industrial kitchens effortlessly and hands-free using its rotating washing or polishing brush. It can be either permanently mounted to a pot washing sink or used as a mobile unit with its special wheeled cart. The washing brush provides deep cleaning with hot water, while the polishing brush easily removes tarnish and burn marks. Its oil-pressure-driven motor system protects the user from electrical hazards, making it an indispensable hygiene solution in kitchens.



High Hygiene Standard



Cleaning Brush Feature



Polishing Brush Feature



Safe Use



### Technical Specifications

PRODUCT CODE	PRODUCT NAME	DIMENSIONS	WEIGHT	TROLLEY WEIHT
1001	INDUSTRIAL TYPE POT WASHING MACHINE	80x38x118 cm	27 kg	11 kg
ENGINE	VOLTAGE	FREQUENCY	CONSUMPTION	HYDRAULIC MOTOR SPEED
0,37 kW	220-240 V	50 - 60 Hz	3,3 A	360 rpm
HYDRAULIC MOTOR PRESSUARE	PHASE	TANK	HZ	AMPERE
40 bar	1	2L	50	1.5

## TURKEY CENTER FACTORY

CANCAN MEYVE PRESLERİ SAN. VE . TİC.  
LTD.ŞTİ. Modern San. Sit. Yeşiltepe Mah. No: 15/1  
Adapazarı/ SAKARYA / TÜRKİYE

T: +90 (264) 291 49 44

E-Mail: [info@cancan.com.tr](mailto:info@cancan.com.tr)

## RUSSIA CONTACT

E-Mail: [dymtro@cancan.com.tr](mailto:dymtro@cancan.com.tr)

## BELARUS CONTACT

E-Mail: [natalia@cancan.com.tr](mailto:natalia@cancan.com.tr)

Phone: +375 29 533 83 99

## EUROPE CONTACT

E-Mail: [export@cancan.com.tr](mailto:export@cancan.com.tr)

## MIDDLE EAST CONTACT

E-Mail: [sales@cancan.com.tr](mailto:sales@cancan.com.tr)



Website



Contact Us



@CancanTurkey



cancanmakine



Cancan Meyve  
Presleri



cancanmeyvepresleri